

YC YACHT CLUB...BALL BEARING BLOCKS



YC40

型番	シーブ径	シャックル径	ロープ最大径	安全強度	破断強度	最大長	重量	形容	価格
	[mm]	[mm]	[mm]	[kg]	[kg]	[mm]	[g]		[¥]
YC40S	40	5	8	500	1000	72	60	single	7,300.
YC40SA	40	5	8	500	1000	92	70	single, becket	8,500.
YC40D	40	5	8	500	1000	72	100	double	11,700.
YC40M	40	5	8	500	1000	78	60	stand-up	10,900.
YC40R	40	-	8	500	1000	60	50	deckblock	9,000.

YC=yacht club S=single SA=single and becket D=double M=stand-up R=cheek

YC50

型番	シーブ径	シャックル径	ロープ最大径	安全強度	破断強度	最大長	重量	形容	価格
	[mm]	[mm]	[mm]	[kg]	[kg]	[mm]	[g]		[¥]
YC50S	50	6	10	750	1500	95	105	single	10,200.
YC50SA	50	6	10	750	1500	118	116	single, becket	11,300.
YC50D	50	6	10	750	1500	95	170	double	18,200.
YC50DA	50	6	10	750	1500	118	192	double, becket	19,400.
YC50T	50	6	10	750	1500	95	230	triple	24,700.
YC50TAL	50	6	10	750	1500	118	249	triple, side becket	26,700.
YC50TAC	50	6	10	750	1500	118	249	triple, cental becket	26,700.
YC50V	50	6	10	750	1500	135	140	fiddle	18,200.
YC50VA	50	6	10	750	1500	157	150	fiddle, becket	19,400.
YC50M	50	6	10	750	1500	98	105	stand-up	11,700.
YC50R	50	-	10	750	1500	75	80	deckblock	10,700.

YC=yacht club S=single SA=single and becket D=double DA=double and becket T=triple TAL=triple and side becket TAC=triple and central becket

V=fiddle VA=fiddle and becket M=stand-up R=cheek

YC60

型番	シーブ径	シャックル径	ロープ最大径	安全強度	破断強度	最大長	重量	形容	価格
	[mm]	[mm]	[mm]	[kg]	[kg]	[mm]	[g]		[¥]
YC60S	60	8	12(14)	1250	2500	112	170	single	14,600.
YC60SA	60	8	12(14)	1250	2500	140	200	single, becket	16,800.
YC60D	60	8	12(14)	1250	2500	112	275	double	22,300.
YC60DA	60	8	12(14)	1250	2500	140	300	double, becket	23,900.
YC60T	60	8	12(14)	1250	2500	112	375	triple	33,100.
YC60TAL	60	8	12(14)	1250	2500	140	405	triple, side becket	39,000.
YC60TAC	60	8	12(14)	1250	2500	140	405	triple, cental becket	37,000.
YC60V	60	8	12(14)	1250	2500	160	230	fiddle	22,300.
YC60VA	60	8	12(14)	1250	2500	187	250	fiddle, becket	24,100.
YC60M	60	8	12(14)	1250	2500	118	170	stand-up	18,900.
YC60R	60	-	12(14)	1250	2500	90	120	deckblock	15,400.

YC=yacht club S=single SA=single and becket D=double DA=double and becket T=triple TAL=triple and side becket TAC=triple and central becket

V=fiddle VA=fiddle and becket M=stand-up R=cheek

YC80

型番	シーブ径	シャックル径	ロープ最大径	安全強度	破断強度	最大長	重量	形容	価格
	[mm]	[mm]	[mm]	[kg]	[kg]	[mm]	[g]		[¥]
YC80S	80	10	16(18)	1800	3600	145	375	single	18,200.
YC80SA	80	10	16(18)	1800	3600	178	425	single, becket	21,500.
YC80D	80	10	16(18)	1800	3600	145	605	double	26,700.
YC80M	80	10	16(18)	1800	3600	145	375	stand-up	28,300.
YC80R	80	-	16(18)	1800	3600	120	295	deckblock	18,300.

YC=yacht club S=single SA=single and becket D=double M=stand-up R=cheek